Notified Body No. 2812

Certificate of Constancy of Performance

2812-CPR-AG5170

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product:

JL-DS60 DIN Sash Lock, JL-DB60 Bathroom Lock & JL-DL60 Latch

Intended use: For use on fire/smoke compartmentation doors

Essential characteristics	Performance	Harmonised technical specification
	Mechanical test evidence: WIL 363447, 368107, 368107-2 Fire test evidence: WF 358393 & 358389	
Self-closing 5.4.2 Closing force	Grade 8 = 200kg door mass with 15N maximum closing force	**EN 12209:2003/AC 2005**
5.1.2 Re-latching force of latch bolt	>2.5N	
Durability of self-closing 5.3.1 Durability of latch action	Grade X = 200,000 cycles with 120N side load on latch bolt.	
Ability to maintain the door in the closed position and not contribute to its spread of fire	Grade 1	
Control of Dangerous substances	If a reference to dangerous substances is added in the table ZA.1, the following claim is suggested: Pass: the materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)	

Certificate of Constancy of Performance

2812-CPR- AG5170

Placed on the Market under the Name of:

Frelan Hardware
Unit 10 Mitcham Industrial Estate
Streatham Road
Mitcham
Surrey
CR4 2AP
United Kingdom

and produced in the manufacturing plant

CUC89710-6

This is coded format and the information is held by the Notified Body

This certificate attests that all provisions concerning the Assessment and Verification of Constancy of Performance described in Annex ZA of the standard(s):

EN 12209:2003/AC 2005

Under System 1 for the performance set out in this certificate are applied and that the Factory Production Control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **21/10/2020** and revised on **19/08/2024** and will remain valid as long as neither the harmonised standard, the Construction Product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Notified Product Certification Body.

CE Marking certificate valid to: **19/07/2027**

ERO Project Reference: **034621 P2343**

Pascal Coget
General manager – European Certification

Element Materials Technology Rotterdam BV
Zekeringstraat 33, 1014 BV, Amsterdam, Netherlands
Registered in the Netherlands. Registered Office: PO Box 6854, 4802 HW, Breda, Netherlands
Company Reg. No. 24170257