

Approved Body No. 1121

## Certificate of Constancy of Performance

### 1121-CPR-UK-AG7876

In compliance with Construction Products Regulation 2011 (retained EU law EUR 2011/305) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020, this certificate applies to the Construction Product:

## JEDO Range of Architectural 3 Lever Mortice Sashlocks / Architectural 3 Lever Bathroom locks / Euro-profile Cylinder Sashlock & Oval-profile Cylinder Sashlock

Intended use: For use on fire/smoke compartmentation doors.

Essential characteristics	Performance	Designated standard
<p><b>Mechanical test evidence:</b> WIL 503007 / WIL 503008 / WIL 503008-1 / WIL 522681 / WIL 537739 / WIL 537740 &amp; WIL 548047</p> <p><b>Fire test evidence:</b> WF 419361 Iss 2 / WF 421087 iss.6 &amp; WF 429674</p>		
Self-closing ability 5.4.2 Closing force	Grade 8: 200Kg door mass with 15N maximum closing force.	<b>EN 12209:2003 / AC:2005</b>
5.1.2 Return force of latch bolt	>2.5N	
Durability of self-closing action 5.3.1 Durability of latch action	Grade M: 200,000 cycles with 25N side load on latch bolt.	
Ability to maintain the door in the closed position and not contribute to its spread of fire		
5.2.1 Resistance to side load on latch bolt	Grade 2: 3kN	
5.5 Suitability for use on fire/smoke doors	Grade 1: suitable for use on fire/smoke resistant door assemblies	
Control of dangerous substances 5.1.1 Dangerous substances	Pass: The materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)	

Approved Body No. 1121

## Certificate of Constancy of Performance

**1121-CPR-UK-AG7876**

Placed on the market under the name of:

**Frelan Hardware Ltd  
Unit 10 Mitcham Industrial Estate  
Streatham Road  
Mitcham  
Surrey  
CR4 2AP  
United Kingdom**

and produced in the manufacturing plant:

**CUC89710-3**

**This is coded format, and the information is held by the Approved Body**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard:

**EN 12209:2003 / AC:2005**

Under System 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the Construction Product.

This certificate was first issued on **31/07/2021** and reissued on **30/05/2025** and will remain valid as long as neither the designated standard, the Construction Product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Approved Product Certification Body.

UKCA certificate valid to: **29/07/2027**



0087



Paul Duggan  
Certification Manager

**Warringtonfire Testing and Certification Limited  
Unit 722, The Quadrant, Birchwood Park, Warrington, WA3 6FW, UK**

Approved Body No. 1121

**Certificate of Constancy of Performance**

**1121-CPR-UK-AG7876**

**Annex A**

<b>Model No.</b>	<b>Description</b>	<b>Backset</b>	<b>Centres</b>
JL1071	Architectural 3 – Lever bathroom lock	44mm	57mm
JL1072	Architectural 3 – Lever bathroom lock	57mm	57mm
JL1090	Architectural 3 – Lever sashlock	44mm	57mm
JL1091	Architectural 3 – Lever sashlock	57mm	57mm
JL1050	Euro-Profile Cylinder Sashlock	44mm	57mm
JL1051	Euro-Profile Cylinder Sashlock	57mm	57mm
JL1052	Oval-Profile Cylinder Sashlock	44mm	57mm
JL1053	Oval-Profile Cylinder Sashlock	57mm	57mm
Available in square and radius Forends			

Forends available in the following finishes:

PB	Polished Brass
PC	Polished Chrome
SC	Satin Chrome
MB	Matt Black
SB	Satin Brass
AB	Antique Brass
DB	Dark Bronze